Schrödinger cat states of a 16-μg mechanical oscillator



Yiwen Chu

Triangle Quantum Seminar

24 Februrary, 2023

HyQu

www.hyqu.ethz.ch

ETH zürich

Schrödinger's cat



Macroscopic object in a quantum superposition of **macroscopically distinct states**.

Drawing by Lara Hartjes, from W. P. Schleich et al. Applied Physics B (2016)

Schrödinger cat states: some examples



Electromagnetic modes

$|\alpha\rangle + |-\alpha\rangle$

Ourjoumtsev et al. Nature (2007)
Deléglise et al. Nature (2008)
Vlastakis et al. Science (2013)



Motion and internal states of trapped ions

$|\uparrow, \alpha\rangle + |\downarrow, -\alpha\rangle$

Monroe et al. Science (1996)
Lo et al. Nature (2015)



GHZ states

$|\uparrow\uparrow\uparrow\rangle + |\downarrow\downarrow\downarrow\rangle$

Leibfried et al. Nature (2005)
Gao et al. Nature Physics (2010)



Atom interferometers

$|x\rangle + |-x\rangle$

Fein et al. Nature Physics (2019)

Cat masses

- Photons
- GHZ states of spins
- SQUIDS
- Trapped ions
- Atom/molecular interferometers

- **Solid state mechanical objects**

- Schrödinger's cat

mass (g)

0

10^{-20} g

~10^{3} g



a cat with m = 18 kg →


Wikipedia

Macroscopically distinct states

Mechanical modes: harmonic oscillators







Snapshot of atomic lattice

Phase space picture



Circuit QAD



Piezoelectric tensor, Strain, Electric field

$$H_{int} = \int e \cdot S \cdot E_q \, dV$$

$$= \hbar g_0 (a + a^\dagger)(\sigma_+ + \sigma_-)$$

$$\sim \hbar g_0 (a\sigma_+ + a^\dagger \sigma_-)$$

coupling strength, phonon, qubit

The strong coupling regime



$$H = \hbar g_0 (a\sigma_+ + a^\dagger \sigma_-)$$

Quantum ground state: $\hbar\omega \gg k_B T$

Strong coupling regime: $g_0 \gg \kappa, \gamma$

The strong dispersive regime





$$H = \hbar g_0(a\sigma_+ + a^\dagger\sigma_-) \xrightarrow[\Delta = \omega_q - \omega_m]{|\Delta| \gg |g_0|} H_{disp} = \hbar\chi a^\dagger a\sigma_z/2$$

Dispersive shift: $\chi \sim 2g_0^2/\Delta$

Quantum ground state: $\hbar\omega \gg k_B T$

Strong coupling regime: $g_0 \gg \kappa, \gamma$

Strong dispersive regime: $\chi \gg \kappa, \gamma$

Circuit QAD devices

Some examples

Phononic crystal

P. Arrangoiz-Arriola et al.
Nature (2019)



Surface acoustic wave



K. Satzinger et al.
Nature (2018)



Membrane/drumhead

J. Viennot et al., *PRL* (2018)



Bulk acoustic wave



U. von Luepke, Y. Yang, M. Bild et al. Nat. Phys. (2022)



Circuit QAD with bulk acoustic waves



HBAR: high overtone bulk acoustic wave resonator







Cat states of a mechanical resonator

Initial state: $|\psi(0)\rangle = |\pm, \alpha\rangle$ $\quad |\pm\rangle = \frac{|e\rangle \pm |g\rangle}{\sqrt{2}}$

$$H = \hbar g_0 \left(a\sigma_+ + a^\dagger \sigma_- \right)$$

$\approx \hbar g_0 \alpha (\sigma_+ + \sigma_-) = \hbar g_0 \alpha \sigma_x$ for $|\alpha| \gg 1$ and real

$\rightarrow |\psi(t)\rangle \approx e^{\mp i g_0 \alpha t} |\pm, \alpha\rangle$ to 0th order in $\frac{n-\alpha^2}{\alpha^2}$

$$\approx e^{\mp i g_0 \alpha t/2} \frac{e^{\mp i g_0 t/2\alpha}|e\rangle \pm |g\rangle}{\sqrt{2}} \left| \alpha e^{\mp i g_0 t/2\alpha} \right\rangle$$

to 1st order in $\frac{n-\alpha^2}{\alpha^2}$

qubit



resonator



V. Bužek et al. PRA (1992), A. Auffeves et al. PRL (2003)

Cat states of a mechanical resonator

Qubit initial state $|-\rangle$ $|+\rangle$ $|e\rangle = \frac{|+\rangle + |-\rangle}{\sqrt{2}}$







At time $t_C = \frac{\pi\alpha}{g_0}$, a "Schrödinger cat" state forms

Cat states of a mechanical resonator

Initial state: $|\psi(0)\rangle = |e,\alpha\rangle = \frac{|+,\alpha\rangle + |-,\alpha\rangle}{\sqrt{2}}$



Wigner function:

$$\frac{\pi}{2} W(\beta) = \mathrm{Tr}(\hat{D}(-\beta)\rho\hat{D}(\beta)\hat{\Pi})$$

$\hat{\Pi}$: Parity operator



Cat size

- CSS: coherent state superposition
- analytical: full Hamiltonian simulation

A: Displacement drive amplitude





Mapping of qubit states

qubit



resonator



Mapping of qubit states

qubit



resonator



The fate of a cat



negativity $= \int d\beta\, [|W(\beta,t)| - W(\beta,t)]$

negativity decay constant





Cat facts





Effective mass: 16 μg
Number of atoms: ~ 10^{17}
Phase space distance: D = 1.61 (D^2 = 2.6)
Physical delocalization: 2×10^{-18} m

M. Bild, M. Fadel, Y. Yang et al. arXiv:2211.00449 (2022)

What are cat states good for?

Quantum information



P. Cochrane, G. Milburn, and W. Munro, PRA (1999)
M. Mirrahimi et al. New J. Phys. (2014)
R. Lescanne et al., Nat. Phys. (2020)
A. Grimm et al., Nature (2020)
C. Chamberland et al. PRX Quantum (2022)

Quantum sensing/metrology



W. Munro et al., PRA (2002)
A. Bassi et al., Rev. Mod. Phys (2013)
M. Gely and G. Steele, AVS Quantum Science (2021)
B. Schrinski et al. arXiv:2209.06635 (2022)

Hybrid quantum systems with BAWs

Quantum microwave - optical transduction



Circuit QAD for quantum information processing



Phonon-spin interface



We're working on it!



Collaborators:

BAW optomechanics:
Peter Rakich (Yale)

Theory:
Connor Hann (Yale), Liang Jiang (U Chicago)
Michael Vanner (Imperial College London)
Yaxing Zhang (Google)

Materials:
Frederic Mercier (Grenoble)
Debdeep Jena, John Wright (Cornell)
Brian Downey, Vikrant Gokhale (NRL)
Luis Guillermo Villanueva (EPFL)